

**ALF-770 Lorry Scania P124G 11.7**

Vehicle identification number (VIN)	YS2P6X20041295285
Vehicle status	Commissioned
Next inspection period	27.7.2023–29.7.2024
Tax status	No unpaid vehicle tax No unpaid additional tax
Towing devices	Towing coupling, Tax levied 21.5.2018–

**Tax details**

**Please note! This service does not include information on car tax or fuel fees.**

Driving power	Diesel fuel
Total mass (kg)	26 000

**Amount of tax**

Amount of tax on driving power per day	2,080 €
Amount of towing device tax per day	1,560 €
Amount of total tax per day	3,640 €
Amount of total tax per year	1 328,60 €

**Vehicle taxes**

No unpaid vehicle taxes

**Additional taxes**

No unpaid additional taxes.

**You are not allowed to use the vehicle until you have paid all overdue taxes, including interest, and any other restrictions causing the vehicle to be banned from use have been lifted. If there are several unpaid tax payments for the vehicle, each one must be paid using its own reference number.**

**Basic information**

Make	Scania
Commercial name	P124G
Vehicle category	N3 / Lorry
Registration number	ALF-770
Vehicle identification number (VIN)	YS2P6X20041295285

Use	Goods transport subject to licence
Insurance	Pohjola 1.1.2022
Date of entry into service	21.5.2004
First registration in Finland	21.5.2004
Type	P124GB-B-6X2/430+136
Serial number of the certificate's technical part	20
Serial number of the certificate's notification part	4

### Engine details

Cylinder capacity (cm <sup>3</sup> )	11 700
Driving power	Diesel fuel
Hybrid electric vehicle	No
Maximum net power	309,00

### Inspection information

#### Latest periodic inspection

Periodic inspection carried out (date)	27.7.2023
Inspection decision	accepted
Last approved periodic inspection	27.7.2023
Next inspection period	27.7.2023–29.7.2024

#### Odometer reading at latest inspection

Odometer reading (km)	943 180
Date	27.7.2023

### Fault information

Annual vehicle inspection 27.7.2023 (accepted)

#### Passing beam

Main inspection item	Lighting equipment and parts of the electrical system
Component	(4.1.2) Passing beam alignment
Location	Oikealla
Fault	Too low
Severity	Repair recommendation
Additional information	Korjattava 27.8.2023 mennessä,

### Windscreen and cleaning equipment

Main inspection item	Test drive and visibility
Component	(3.2) Windscreen
Location	Edessä
Fault	Crack in field of vision
Severity	Repair recommendation
Additional information	Korjattava 27.8.2023 mennessä,

### Body details

Number of seats	2
-----------------	---

### Dimensions and masses

#### Dimensions

Total length (mm)	8 400
Width (mm)	2 550
Rear overhang (mm)	2 030

#### Masses

Unladen mass (kg)	11 060
Technically permissible maximum laden mass (kg)	30 000
Maximum permissible laden mass in road traffic (kg)	26 000

#### Axle 1

Technically permissible mass on the axle (kg)	9 000
Permissible mass on the axle in road traffic (kg)	8 000
Wheelbases (mm)	4 300

#### Axle 2

Technically permissible mass on the axle (kg)	12 700
Permissible mass on the axle in road traffic (kg)	11 500
Wheelbases (mm)	1 360

#### Axle 3

Technically permissible mass on the axle (kg)	8 300
Permissible mass on the axle in road traffic (kg)	7 500

## Axle information

### Axle 1

Steered	Yes
Steering	No
Driving	No
With twin wheels	No
Retractable	No
Loadable	No
Braked	No

### Axle 2

Steered	No
Steering	No
Driving	Yes
With twin wheels	Yes
Retractable	No
Loadable	No
Braked	No
Axel group type	Bogie system (double-axle)

### Axle 3

Steered	Yes
Steering	No
Driving	No
With twin wheels	No
Retractable	No
Loadable	No
Braked	No
Axel group type	Bogie system (double-axle)

## Brake details

### Brake details

Power transmission and boosting system	Compressed-air brakes
Additional information on braking system	EBS

**Axle 1**

Parking brake	No
Brake cylinder diameter (mm)	140
Minimum brake disc thickness (mm)	37,00
Nominal pressure (bar)	6,00

**Axle 2**

Parking brake	No
Brake cylinder diameter (mm)	140
Minimum brake disc thickness (mm)	37,00
Nominal pressure (bar)	6,00

**Axle 3**

Parking brake	No
Brake cylinder diameter (mm)	140
Minimum brake disc thickness (mm)	37,00
Nominal pressure (bar)	6,00

**Additional devices**

Tipper

**Coupling details****Combination details****Drawbar trailer**

Combination's permissible maximum laden mass (kg)	60 000
Length from kingpin to rear of trailer (mm)	13 600
Length from kingpin to bogie axis, KPRA (mm)	8 300
Length from kingpin to rearmost axle (mm)	9 700
Module total mass (kg)	60 000

## Coupling device

### Tow hitch

Only for towing towed devices No

---

## Special conditions

**All special conditions concerning a vehicle cannot be viewed in the e-service. For details on all special conditions, please see the registration certificate.**

Category	Special conditions
LTJ: Extra data on model, entered on registration certificate	LTJ type code
LTJ: Extra data on model, entered on registration certificate	LTJ model name
Basic data	
Structure	
Brakes	
Brakes	
General	
General	
Coupling head	
Coupling data	Approved for coupling only to a trailer with anti-lock brakes.
Coupling data	
Coupling data	
Coupling data	

---