

BAI-628 Lorry Scania R 16 L-8X2 15.6

The vehicle is under a prohibition of driving or use.

Vehicle identification number (VIN)	YS2R8X20062016916
Vehicle status	Commissioned
Next inspection period	29.9.2022–29.9.2023
Tax status	No unpaid vehicle tax No unpaid additional tax
Towing devices	Towing coupling, Tax levied 22.5.2018–
Restrictions	Periodic inspection not performed/approved

Tax details

Please note! This service does not include information on car tax or fuel fees.

Driving power	Diesel fuel
Total mass (kg)	34 000

Amount of tax

Amount of tax on driving power per day	2,380 €
Amount of towing device tax per day	2,040 €
Amount of total tax per day	4,420 €
Amount of total tax per year	1 613,30 €

Vehicle taxes

No unpaid vehicle taxes

Additional taxes

No unpaid additional taxes.

You are not allowed to use the vehicle until you have paid all overdue taxes, including interest, and any other restrictions causing the vehicle to be banned from use have been lifted. If there are several unpaid tax payments for the vehicle, each one must be paid using its own reference number.

Basic information

Make	Scania
------	--------

Commercial name	R 16 L-8X2
Vehicle category	N3 / Lorry
Registration number	BAI-628
Vehicle identification number (VIN)	YS2R8X20062016916
Use	Goods transport subject to licence
Insurance	Pohjola 1.1.2022
Date of entry into service	19.7.2006
First registration in Finland	19.7.2006
Type	SCANIA4N3
Serial number of the certificate's technical part	32
Serial number of the certificate's notification part	16

Engine details

Cylinder capacity (cm ³)	15 600
Driving power	Diesel fuel
Hybrid electric vehicle	No
Maximum net power	426,00

Inspection information

Latest periodic inspection

Periodic inspection carried out (date)	29.9.2022
Inspection decision	accepted
Last approved periodic inspection	29.9.2022
Next inspection period	29.9.2022–29.9.2023

Odometer reading at latest inspection

Odometer reading (km)	663 587
Date	29.9.2022

Fault information

Annual vehicle inspection 29.9.2022 (accepted)

Exhaust pipes

Main inspection item	Chassis and chassis attachments
Component	(6.1.2) Exhaust pipes

Location	Ei mitään
Fault	Snapped
Severity	Repair recommendation
Additional information	Korjattava 29.10.2022 mennessä

Suspension and shock absorption

Main inspection item	Axles, wheels and suspension
Component	(5.3.2) Shock absorber attachment
Location	4-akselilla vasemmalla
Fault	Loose
Severity	Repair recommendation
Additional information	Korjattava 29.10.2022 mennessä

Windscreen and cleaning equipment

Main inspection item	Test drive and visibility
Component	(3.2) Windscreen
Location	Ei mitään
Fault	Crack in field of vision
Severity	Repair recommendation
Additional information	Korjattava 29.10.2022 mennessä

Alteration inspection details**Alteration inspection**

Alteration inspected	8.4.2016
Inspection decision	accepted

Alteration inspection

Alteration inspected	9.8.2006
Inspection decision	accepted

Body details

Number of seats	2
-----------------	---

Dimensions and masses**Dimensions**

Total length (mm)	
-------------------	--

	8 860
Width (mm)	2 500
Front overhang (mm)	1 460
Rear overhang (mm)	1 620

Masses

Unladen mass (kg)	13 460
Technically permissible maximum laden mass (kg)	34 000
Maximum permissible laden mass in road traffic (kg)	34 000

Axle 1

Technically permissible mass on the axle (kg)	9 000
Permissible mass on the axle in road traffic (kg)	7 500
Wheelbases (mm)	1 940

Axle 2

Technically permissible mass on the axle (kg)	9 000
Permissible mass on the axle in road traffic (kg)	7 500
Wheelbases (mm)	3 160

Axle 3

Technically permissible mass on the axle (kg)	10 800
Permissible mass on the axle in road traffic (kg)	10 800
Wheelbases (mm)	1 320

Axle 4

Technically permissible mass on the axle (kg)	9 200
Permissible mass on the axle in road traffic (kg)	9 200

Tyre information

Tyres and wheels marked in the inspection by axle

Axle 1

Tyre size	Rim size	Offset	Load index and speed rating	Tyre type
315/80R22.5			154	marked in inspection
295/80R22.5			154	marked in inspection

Axle 2

Tyre size	Rim size	Offset	Load index and speed rating	Tyre type
315/80R22.5			154	marked in inspection
295/80R22.5			154	marked in inspection

Axle 3

Tyre size	Rim size	Offset	Load index and speed rating	Tyre type
295/80R22.5			146/143	marked in inspection

Axle 4

Tyre size	Rim size	Offset	Load index and speed rating	Tyre type
295/80R22.5			146/143	marked in inspection

Axle information

Axle 1

Steered	Yes
Steering	No
Driving	No
With twin wheels	No
Retractable	No
Loadable	No
Braked	No

Axle 2

Steered	Yes
Steering	No
Driving	No
With twin wheels	No
Retractable	No
Loadable	No
Braked	No

Axle 3

Steered	No
Steering	No
Driving	Yes
With twin wheels	

	Yes
Retractable	No
Loadable	No
Braked	No
Axel group type	Bogie system (double-axle)

Axle 4

Steered	No
Steering	No
Driving	No
With twin wheels	Yes
Retractable	No
Loadable	No
Braked	No
Axel group type	Bogie system (double-axle)

Brake details

Brake details

Power transmission and boosting system	Compressed-air brakes
Additional information on braking system	EBS

Axle 1

Parking brake	No
Brake cylinder diameter (mm)	128
Brake lever length (mm)	165
Nominal pressure (bar)	6,00

Axle 2

Parking brake	No
Brake cylinder diameter (mm)	128
Brake lever length (mm)	165
Nominal pressure (bar)	6,00

Axle 3

Parking brake	No
Brake cylinder diameter (mm)	140
Brake lever length (mm)	165
Nominal pressure (bar)	6,00

Axle 4

Parking brake	No
Brake cylinder diameter (mm)	128
Brake lever length (mm)	165
Nominal pressure (bar)	6,00

Coupling details

Combination details

Drawbar trailer

Combination's permissible maximum laden mass (kg)	68 000
Length from kingpin to rear of trailer (mm)	13 340
Length from kingpin to bogie axis, KPRA (mm)	8 699
Length from kingpin to rearmost axle (mm)	9 600

Information on the combination's modules

Module total mass (kg)	68 000
------------------------	--------

Drawbar trailer

Length from kingpin to rear of trailer (mm)	16 590
Length from kingpin to bogie axis, KPRA (mm)	8 699

Coupling device

Tow hitch

Only for towing towed devices	No
Distance from front axle	7 200
Not suitable for towing a trailer with fixed beam	No
D-value	190,00

Special conditions

All special conditions concerning a vehicle cannot be viewed in the e-service. For details on all special conditions, please see the registration certificate.

Category

LTJ: Extra data on model, entered on registration certificate

LTJ: Extra data on model, entered on registration certificate

Basic data

Structure

Brakes

General

Coupling data

Coupling data

Coupling data

Special conditions

LTJ type code

LTJ model name

Approved for coupling only to a trailer with anti-lock brakes.